



CERTIFICATE OF QUALITY SYSTEM APPROVAL
N° CE-1370-PED-H1-WTR 001-23-ITA

Bureau Veritas Italia SpA acting within the scope of its notification (Notified Body number 1370), certifies that the quality system operated by the manufacturer for design, manufacturing, final product inspection and testing of the pressure equipments/assembly identified hereunder has been examined against the provisions of annex III, module H1, of the Pressure Equipment Directive 2014/68/EU, and found to satisfy the provisions of the directive which apply to it.

Manufacturer (name):	WALTER TOSTO S.p.A
Address:	Via Erasmo Piaggio, 72 66100, Chieti, Italy
Trading Name - Mark:	WALTER TOSTO S.p.A
Equipment/Assembly description:	Serbatoi e assiami per GPL prodotti in serie destinati ad essere installati fuori terra o interrati in gusci di protezione in polietilene , con capacita minore o uguale a 13000 Lt
Identification of equipment/assemblies concerned (or list on the back or attached when necessary):	See list of the concerned equipment/aseembles

This certificate will expire on (dd/mm/yyyy): 04/06/2026

The approval is conditional upon the surveillance audits, visits, tests and verifications to be carried out by the local Bureau Veritas entity that entered into a contract with the manufacturer, pursuant to the provisions of such contract.

This certificate shall be deemed to be void and the manufacturer shall alone bear any consequences pursuant to its use, where the manufacturer fails to comply with his undertakings as per the agreement in respect of (a) implementation of the approved quality system and (b) inspection and tests on the final product, or in case of disregard the any change of the state of the art, and generally where the manufacturer fails in particular to comply with any of his obligations under directive 2014/68/EU of 15 May 2014 as transposed in the applicable law(s).

Made at	On (dd/mm/yyyy)	Approved and Recorded in	Signed by	Signature authorised by Notified Body No 1370
Milan	05/06/2023	Italy	LUCA PIAGGESI	

Registration Code: 2024/000862/CE-1370-PED

The present document is subject to the terms of General Conditions of Service attached to the agreement signed by the applicant. The present document shall not be reproduced, except by the manufacturer in compliance with the provisions of the contract entered into between the local Bureau Veritas entity and the manufacturer.

N° CE-1370-PED-H1-WTR 001-23-ITA

Number(s) of the EC or EU-design examination certificate(s) issued under the scope of module H1, by Bureau Veritas Italia SpA (notified body nr 1370), concerned by the approval of the quality system:

CE-1370-PED-H1D-WTR 001-23-ITA

List of the concerned equipment/assemblies

Insiemi composti da serbatoi per GPL prodotti in serie destinati ad essere installati fuori terra od interrati in gusci di protezione in polietilene, con capacita minore o uguale a 13000 Lt e relativi accessori.

Varianti previste per i serbatoi:

- SERBATOIO VERTICALE FUORI TERRA PER STOCCAGGIO GPL-500L DWG. 41322.01A rev.4;
 - SERBATOIO VERTICALE INTERRATO PER STOCCAGGIO GPL-1000 Lt DWG. 41322.01.H rev.4;
 - SERBATOIO ORIZZONTALE FUORI TERRA PER STOCCAGGIO GPL -1000 Lt DWG. 41322.01B rev.4;
 - SERBATOIO ORIZZONTALE FUORI TERRA PER STOCCAGGIO GPL -2250 Lt DWG. 41322.01.I rev.3;
 - SERBATOIO ORIZZONTALE INTERRATO PER STOCCAGGIO GPL -3000 Lt DWG. 41322.01M rev.5;
 - SERBATOIO ORIZZONTALE FUORI TERRA PER STOCCAGGIO GPL -3000 Lt DWG. 41322.01C rev.4;
 - SERBATOIO VERTICALE INTERRATO PER STOCCAGGIO GPL -4500 Lt DWG. 41322.01Q rev.3;
 - SERBATOIO ORIZZONTALE INTERRATO PER STOCCAGGIO GPL -5000 Lt DWG. 41322.01.N rev.6;
 - SERBATOIO ORIZZONTALE FUORI TERRA PER STOCCAGGIO GPL -5000 Lt DWG. 41322.01D rev.5;
 - SERBATOIO ORIZZONTALE INTERRATO PER STOCCAGGIO GPL -12400 Lt DWG. 41322.01.O rev.7;
 - SERBATOIO ORIZZONTALE FUORI TERRA PER STOCCAGGIO GPL -12400 Lt DWG. 41322.01.P rev.8;
 - SERBATOIO VERTICALE FUORI TERRA PER STOCCAGGIO GPL -1000 Lt DWG. 41322.01F rev.4;
 - SERBATOIO VERTICALE INTERRATO PER STOCCAGGIO GPL -1650 Lt DWG. 41322.01.H rev.4;
 - SERBATOIO ORIZZONTALE INTERRATO PER STOCCAGGIO GPL -1750 Lt DWG. 41322.01L rev.3;
 - SERBATOIO ORIZZONTALE FUORI TERRA PER STOCCAGGIO GPL -1750 Lt DWG. 41322.01E rev.4;
- Tutti gli insiemi sono provvisti di PSV installata sul serbatoio tarata a 17,65bar e indicatore di livello.

